
## III. Practice Problem 1: R-C DC Circuit

Task: Work on solving for the charge for the given circuit; indicated links give (partial) solutions.



An R-C circuit consists of a 100 volt DC battery connected in series with a 2 ohm resistor and a 1/6 farad capacitor; there is no initial charge on the capacitor and no current flows until the switch is closed. The associated Initial Value Problem is

$$2Q'(t) + \frac{Q(t)}{1/6} = 100, \quad Q(0) = 0$$

## Method of Separation of Variables:

- [a] Put the ODE in differential form.
- [b] Use algebra to separate variables.
- [c] Integrate both sides of the preceding equation to get a general solution to the ODE.
- [d] Use the initial condition to compute the value of the arbitrary constant and determine the implicit solution to the IVP.
- [e] Use the rules of logs and exponentials in order to solve the implicit solution to the ODE for the charge Q(t) for this circuit.
- [f] Rework the solution when the capacitor in this circuit is charged to 30 coulombs at the time when the switch is closed.

## [a] Put the ODE in differential form.

The ODE

$$2Q'(t) + \frac{Q(t)}{1/6} = 100$$

becomes

$$Q'(t) + 3Q(t) = 50$$

or

$$\frac{dQ}{dt} = 50 - 3Q$$

which, after multiplying through by dt, becomes

$$dQ = (50 - 3Q) dt$$

[b] Use algebra to separate variables.

The differential form

$$dQ = (50 - 3Q) dt$$

can be written

$$\frac{dQ}{50 - 3Q} = dt$$

so that all terms involving Q are on one side of the equation and all terms involving t on the other side.

[c] Integrate both sides of the preceding equation to get a general solution to the ODE.

Integrating both sides of

$$\frac{dQ}{50 - 3Q} = dt$$

gives

$$\int \frac{dQ}{50 - 3Q} = \int dt$$

We use the substitution

$$x = 50 - 3Q$$
 to get 
$$\frac{dx}{dQ} = -3$$
 or 
$$dQ = -\frac{1}{3}dx$$

so that

$$\int \frac{1}{50 - 3Q} dQ = \int \frac{1}{x} \left( -\frac{1}{3} dx \right)$$

$$= -\frac{1}{3} \int \frac{1}{x} dx$$

$$= -\frac{1}{3} \ln|x| + C$$

$$= -\frac{1}{3} \ln|50 - 3Q| + C$$

Hence the general solution to the ODE in implicit form is

$$-\frac{1}{3}\ln|50 - 3Q| = t + C$$

[d] Use the initial condition to compute the value of the arbitrary constant and determine the implicit solution to the IVP.

Since Q = 0 when t = 0, we put t = 0 into

$$-\frac{1}{3}\ln|50 - 3Q| = t + C$$

to get

$$-\frac{1}{3}\ln|50-0| = 0 + C \Longrightarrow C = -\frac{1}{3}\ln 50$$

This leads us to the solution to the IVP in implicit form:

$$-\frac{1}{3}\ln|50 - 3Q| = t - \frac{1}{3}\ln 50$$

or, multiplying through by -3,

$$\ln|50 - 3Q| = \ln 50 - 3t$$

[e] Use the rules of logs and exponentials in order to solve the implicit solution to the ODE for the charge Q(t) for this circuit.

Take the antilogarithm of both sides of the solution to the IVP

$$\ln|50 - 3Q| = \ln 50 - 3t$$

to get

$$e^{\ln|50 - 3Q|} = e^{\ln 50 - 3t}$$

which, when simplified, yields

$$|50 - 3Q| = 50e^{-3t}$$

or

$$50 - 3Q = \pm 50 e^{-3t}$$


Since Q = 0 when t = 0, the sign must be +, allowing us to solve for Q:

$$50 - 3Q = +50e^{-3t}$$

or

$$Q(t) = \frac{50}{3} \left( 1 - e^{-3t} \right)$$

whose graph is plotted below.



[f] Rework the solution when the capacitor in this circuit is charged to 30 coulombs at the time when the switch is closed.

Start with the general solution

$$-\frac{1}{3}\ln|50 - 3Q| = t + C$$

from part [c] and substitute Q = 30 and t = 0:

$$-\frac{1}{3}\ln|50 - 3(30)| = 0 + C$$

which yields

$$C = -\frac{1}{3}\ln(40)$$

Hence

$$-\frac{1}{3}\ln|50 - 3Q| = t - \frac{1}{3}\ln(40)$$

which we can solve as before.

Multiply by -3:

$$\ln|50 - 3Q| = -3t + \ln(40)$$

Take antilogs:

$$|50 - 3Q| = e^{-3t + \ln(40)}$$

Simplify exponentials:

$$e^{-3t+\ln(40)} = e^{-3t} \times e^{\ln(40)} = e^{-3t} \times 40$$

to arrive at:

$$|50 - 3Q| = 40e^{-3t}$$

or

$$50 - 3Q = \pm 40 e^{-3t}$$

Now Q = 30 when t = 0 means

$$50 - 3(30) = \pm 40 e^0$$

or

$$-40 = \pm 40$$

So the sign must be - and the solution to the IVP is

$$50 - 3Q = -40e^{-3t}$$

$$Q(t) = \frac{10}{3} \left( 5 + 4e^{-3t} \right)$$

Charge (below left) and current (below right) are plotted for Q(0) = 0 (thinner curve) and Q(0) = 30 (thicker curve).

